

## TIDA-010074 REV E1 Bill of Materials

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
!PCB1	1		TIDA-010074	Any	Printed Circuit Board	
C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C23, C24, C25	21	1uF	GRM188R71C105KE15D	MuRata	CAP, CERM, 1 µF, 16 V,+/- 10%, X7R, 0603	0603
C19	1	1uF	C1608X7R1V105K080AC	TDK	CAP, CERM, 1 µF, 35 V,+/- 10%, X7R, 0603	0603
C20	1	0.1uF	CGA4J2X7R2A104K125AA	TDK	CAP, CERM, 0.1 µF, 100 V,+/- 10%, X7R, AEC-Q200 Grade 1, 0805	0805
C21	1	470pF	GCM1885C1H471JA16D	MuRata	CAP, CERM, 470 pF, 50 V,+/- 5%, C0G/NP0, AEC-Q200 Grade 1, 0603	0603
C22	1	2.2uF	GRM32ER72A225KA35L	MuRata	CAP, CERM, 2.2 µF, 100 V,+/- 10%, X7R, 1210	1210
C26, C27, C28	3	10uF	C3225X5R1H106K250AB	TDK	CAP, CERM, 10 µF, 50 V,+/- 10%, X5R, 1210	1210
C29, C30, C31	3	4700pF	GCM188R71H472KA37D	MuRata	CAP, CERM, 4700 pF, 50 V,+/- 10%, X7R, AEC-Q200 Grade 1, 0603	0603
C32, C40, C42, C53, C55	5	4.7uF	GRM188R61C475KAAJ	MuRata	CAP, CERM, 4.7 µF, 16 V,+/- 10%, X5R, 0603	0603
C33, C50	2	2.2uF	GRM188R71A225KE15D	MuRata	CAP, CERM, 2.2 µF, 10 V,+/- 10%, X7R, 0603	0603
C34, C54	2	10uF	CL21B106K0QNNNE	Samsung Electro-Mechanics	CAP, CERM, 10 µF, 16 V,+/- 10%, X7R, 0805	0805
C35, C60, C61, C72, C73, C74, C75	7	0.1uF	GRM188R72A104KA35D	MuRata	CAP, CERM, 0.1 µF, 100 V,+/- 10%, X7R, 0603	0603
C36, C37, C38	3	0.1uF	C0603X104K3RACTU	Kemet	CAP, CERM, 0.1 µF, 25 V,+/- 10%, X7R, 0603	0603
C39, C51	2	0.1uF	GRM188R71C104KA01D	MuRata	CAP, CERM, 0.1 µF, 16 V,+/- 10%, X7R, 0603	0603
C41	1	1uF	C0805C105K5RACTU	Kemet	CAP, CERM, 1 µF, 50 V,+/- 10%, X7R, 0805	0805
C43	1	0.1uF	C1608X7R1H104K080AA	TDK	CAP, CERM, 0.1 µF, 50 V,+/- 10%, X7R, 0603	0603
C44	1	0.01uF	GRM188R71H103KA01D	MuRata	CAP, CERM, 0.01 µF, 50 V,+/- 10%, X7R, 0603	0603
C45, C46, C47, C48	4	1000pF	C0603C102K3GACTU	Kemet	CAP, CERM, 1000 pF, 25 V,+/- 10%, C0G/NP0, 0603	0603
C49	1	1000pF	GRM1885C1H102JA01D	MuRata	CAP, CERM, 1000 pF, 50 V,+/- 5%, C0G/NP0, 0603	0603
C52, C62, C63, C64	4	0.1uF	GRM188R71H104KA93D	MuRata	CAP, CERM, 0.1 µF, 50 V,+/- 10%, X7R, 0603	0603
C56	1	0.01uF	GRM188R72A103KA01D	MuRata	CAP, CERM, 0.01 µF, 100 V,+/- 10%, X7R, 0603	0603
C57	1	2.2uF	C2012X7R1V225K085AC	TDK	CAP, CERM, 2.2 µF, 35 V,+/- 10%, X7R, 0805	0805
C58	1	220pF	GRM188R71H221KA01D	MuRata	CAP, CERM, 220 pF, 50 V,+/- 10%, X7R, 0603	0603
C59	1	2200pF	06031C222JAT2A	AVX	CAP, CERM, 2200 pF, 100 V,+/- 5%, X7R, 0603	0603
C65	1	4.7uF	C3225X7S2A475K200AE	TDK	CAP, CERM, 4.7 µF, 100 V,+/- 10%, X7S, 1210	1210
C66	1	56pF	GRM1885C1H560JA01D	MuRata	NC	0603
C67	1	2200pF	GRM1885C1H222JA01D	MuRata	CAP, CERM, 2200 pF, 50 V,+/- 5%, C0G/NP0, 0603	0603
C68	1	56pF	GRM1885C1H560JA01D	MuRata	CAP, CERM, 56 pF, 50 V,+/- 5%, C0G/NP0, 0603	0603
C69	1	3300pF	GRM188R71H332KA01D	MuRata	CAP, CERM, 3300 pF, 50 V,+/- 10%, X7R, 0603	0603
C70, C71	2	4.7uF	GRM21BR71C475KA73L	MuRata	CAP, CERM, 4.7 µF, 16 V,+/- 10%, X7R, 0805	0805
D1, D32, D33, D38	4	3.6V	MMSZ4685T1G	ON Semiconductor	Diode, Zener, 3.6 V, 500 mW, SOD-123	SOD-123

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
D2, D3, D4, D5, D6, D7, D8, D9, D10, D11, D12, D13, D14, D15, D16	15	5.6V	BZT52C5V6T-7	Diodes Inc.	Diode, Zener, 5.6 V, 300 mW, SOD-523	SOD-523
D17, D19, D20, D22, D45	5	100V	1N4148W-7-F	Diodes Inc.	Diode, Ultrafast, 100 V, 0.15 A, SOD-123	SOD-123
D18, D41	2	18V	MMSZ5248B-7-F	Diodes Inc.	Diode, Zener, 18 V, 500 mW, SOD-123	SOD-123
D21, D24	2	20V	SBR0220T5-7	Diodes Inc.	Diode, Super Barrier Rectifier, 20 V, 0.2 A, SOD-523	SOD-523
D23	1	3.3V	MMSZ5226BS-7-F	Diodes Inc.	Diode, Zener, 3.3 V, 200 mW, SOD-323	SOD-323
D25, D26, D27, D28, D30	5	Red	150060RS75000	Würth Elektronik	LED, Red, SMD	LED_0603
D29, D31	2	3.6V	NC	ON Semiconductor	Diode, Zener, 3.6 V, 500 mW, SOD-123	SOD-123
D34, D35, D48, D49	4	20V	MBR0520LT1G	ON Semiconductor	Diode, Schottky, 20 V, 0.5 A, SOD-123	SOD-123
D36, D42, D44	3	100V	BAT46W-7-F	Diodes Inc.	Diode, Schottky, 100 V, 0.15 A, SOD-123	SOD-123
D37	1	5.1V	MMSZ5231B-7-F	Diodes Inc.	Diode, Zener, 5.1 V, 500 mW, SOD-123	SOD-123
D39, D40, D43, D46, D50	5	16V	MMSZ5246B-7-F	Diodes Inc.	Diode, Zener, 16 V, 500 mW, SOD-123	SOD-123
D47, D51	2	60V	SMBJ60A-13-F	Diodes Inc.	Diode, TVS, Uni, 60 V, 96.8 Vc, SMB	SMB
F1	1		0456030.ER	Littelfuse	Fuse, 30 A, 125 VAC, 72 VDC, SMD	10.1x3.12mm
J1, J2, J5, J6	4		8199	Keystone	TERMINAL SCREW PC 30AMP, TH	12.9x6.3x7.9 mm
J3	1		22-23-2021	Molex	Header, 2.54mm, 2x1, Vertical, TH	Header, 2.54mm, 2x1, TH
L1	1	68uH	7447713680	Würth Elektronik	Inductor, Shielded Drum Core, Ferrite, 68 uH, 1.1 A, 0.275 ohm, SMD	SMD
L2, L3, L4, L5, L6, L7	6	600 ohm	74279265	Würth Elektronik	Ferrite Bead, 600 ohm @ 100 MHz, 0.2 A, 0603	0603
P1	1				Header, 2-Pin, Dual row	
P2	1				Header, 4-Pin	
P3	1				Header, 18-Pin	
P4	1				Header, 2-Pin	
Q1, Q2, Q3, Q4, Q5, Q6, Q7, Q8, Q9, Q10, Q11, Q12, Q13, Q14, Q15	15	20V	DMG2302UK-7	Diodes Inc.	MOSFET, N-CH, 20 V, 2.8 A, AEC-Q101, SOT-23	SOT-23
Q16, Q26, Q28, Q31, Q32, Q33, Q34, Q37	8	100V	BSS123	Fairchild Semiconductor	MOSFET, N-CH, 100 V, 0.17 A, SOT-23	SOT-23
Q17, Q20, Q21, Q22, Q23, Q24, Q25, Q38, Q43	9	-100V	ZXMP10A13FTA	Diodes Inc.	MOSFET, P-CH, -100 V, -0.6 A, SOT-23	SOT-23
Q18, Q19	2	-50V	BSS84W-7-F	Diodes Inc.	MOSFET, P-CH, -50 V, -0.13 A, SOT-323	SOT-323
Q27, Q29	2	-20V	FDN302P	Fairchild Semiconductor	MOSFET, P-CH, -20 V, -2.4 A, SOT-23	SOT-23
Q30, Q39	2	60V	2N7002	Fairchild Semiconductor	MOSFET, N-CH, 60 V, 115 A, SOT-23	SOT-23
Q35	1	-50V	BSS84-7-F	Diodes Inc.	MOSFET, P-CH, -50 V, -0.13 A, SOT-23	SOT-23
Q36	1	60V	2N7002W-7-F	Diodes Inc.	MOSFET, N-CH, 60 V, 0.115 A, SOT-323	SOT-323
Q40, Q41, Q42, Q44, Q45, Q46	6	100V	CSD19536KTT	Texas Instruments	MOSFET, N-CH, 100 V, 200 A, KTT0002A (TO-263-2)	KTT0002A

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R22, R23, R24, R25, R26, R27, R28, R29, R30, R31, R43, R44, R45, R46, R47, R48, R49, R50, R51, R52	30	80.6	CRCW120680R6FKEA	Vishay-Dale	RES, 80.6, 1%, 0.25 W, 1206	1206
R11, R12, R13, R14, R15, R16, R32, R33, R34, R35, R36, R37, R53, R54, R55, R56, R57, R58, R71, R72, R73, R120, R121, R122, R124	25	1.00k	CRCW06031K00FKEA	Vishay-Dale	RES, 1.00 k, 1%, 0.1 W, 0603	0603
R17, R18, R19, R20, R21, R38, R39, R40, R41, R42, R59, R60, R61, R62, R63, R74	16	10k	CRCW060310K0JNEA	Vishay-Dale	RES, 10 k, 5%, 0.1 W, 0603	0603
R64, R66, R107	3	100k	CRCW0603100KFKEA	Vishay-Dale	RES, 100 k, 1%, 0.1 W, 0603	0603
R65, R125	2	200	CRCW0603200RFKEA	Vishay-Dale	RES, 200, 1%, 0.1 W, 0603	0603
R67, R80, R81, R82, R84, R85, R90, R131, R137	9	1.0Meg	CRCW06031M00JNEA	Vishay-Dale	RES, 1.0 M, 5%, 0.1 W, 0603	0603
R68	1	499k	CRCW0603499KFKEA	Vishay-Dale	RES, 499 k, 1%, 0.1 W, 0603	0603
R69, R104, R105, R123, R132, R133, R136, R138, R141, R144	10	100	CRCW0603100RFKEA	Vishay-Dale	RES, 100, 1%, 0.1 W, 0603	0603
R70, R98, R103, R108, R113, R116, R128, R130, R135, R139, R145	11	10Meg	CRCW060310M0JNEA	Vishay-Dale	RES, 10 M, 5%, 0.1 W, 0603	0603
R75	1	360k	ERJ-3EKF3603V	Panasonic	RES, 360 k, 1%, 0.1 W, AEC-Q200 Grade 0, 0603	0603
R76	1	3.01k	CRCW06033K01FKEA	Vishay-Dale	RES, 3.01 k, 1%, 0.1 W, 0603	0603
R77, R78, R79	3	20	CRCW201020R0JNEF	Vishay-Dale	RES, 20, 5%, 0.75 W, AEC-Q200 Grade 0, 2010	2010
R83	1	1.0k	CRCW06031K00JNEA	Vishay-Dale	RES, 1.0 k, 5%, 0.1 W, 0603	0603
R86, R87, R88, R89	4	237k	CRCW0603237KFKEA	Vishay-Dale	RES, 237 k, 1%, 0.1 W, 0603	0603
R91, R92, R93, R95, R97	5	470	RC0603FR-07470RL	Yageo America	RES, 470, 1%, 0.1 W, 0603	0603
R94, R96, R149	3	115k	CRCW0603115KFKEA	Vishay-Dale	RES, 115 k, 1%, 0.1 W, 0603	0603
R99	1	47.0k	RC0603FR-0747KLL	Yageo America	RES, 47.0 k, 1%, 0.1 W, 0603	0603

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
R100, R102, R111, R115, R117	5	10.0k	CRCW060310K0FKEA	Vishay-Dale	RES, 10.0 k, 1%, 0.1 W, 0603	0603
R101, R106, R110, R114, R118, R129	6	3.3Meg	CRCW06033M30JNEA	Vishay-Dale	RES, 3.3 M, 5%, 0.1 W, 0603	0603
R109	1	6.8k	CRCW06036K80JNEA	Vishay-Dale	RES, 6.8 k, 5%, 0.1 W, 0603	0603
R119	1	120	RC0603FR-07120RL	Yageo America	RES, 120, 1%, 0.1 W, 0603	0603
R126	1	665k	RT0603BRD07665KL	Yageo America	RES, 665 k, 0.1%, 0.1 W, 0603	0603
R127	1	16.5k	RT0603BRD0716K5L	Yageo America	RES, 16.5 k, 0.1%, 0.1 W, 0603	0603
R134	1	510	CRCW0603510RJNEA	Vishay-Dale	RES, 510, 5%, 0.1 W, 0603	0603
R140	1	47.0	RC0603FR-0747RL	Yageo America	RES, 47.0, 1%, 0.1 W, 0603	0603
R142, R143	2	0.002	CSNL2512FT2L00	Stackpole Electronics Inc	RES, 0.002, 1%, 2 W, 2512	2512
R146	1	6.8Meg	CRCW06036M80JNEA	Vishay-Dale	RES, 6.8 M, 5%, 0.1 W, 0603	0603
R147	1	3.0Meg	CRCW06033M00JNEA	Vishay-Dale	RES, 3.0 M, 5%, 0.1 W, 0603	0603
R148	1	1.00Meg	CRCW06031M00FKEA	Vishay-Dale	RES, 1.00 M, 1%, 0.1 W, 0603	0603
R150	1	383k	RC0603FR-07383KL	Yageo America	NC	0603
R151	1	383k	RC0603FR-07383KL	Yageo America	RES, 383 k, 1%, 0.1 W, 0603	0603
R152	1	240k	CRCW0603240KJNEA	Vishay-Dale	RES, 240 k, 5%, 0.1 W, 0603	0603
R153	1	715k	CRCW0603715KFKEA	Vishay-Dale	RES, 715 k, 1%, 0.1 W, 0603	0603
R154, R155	2	604	CRCW2512604RFKEG	Vishay-Dale	RES, 604, 1%, 1 W, AEC-Q200 Grade 0, 2512	2512
RT1, RT2, RT3	3	10k ohm	NTCALUG03A103G	Vishay-Bccomponents	Thermistor NTC, 10k ohm, 2%, NTC Thermistor, Mini Lug Sensor, Pitch 1.5mm	NTC Thermistor, Mini Lug Sensor, Pitch 1.5mm
S1, S2	2		RS-032G05A3-SM RT	C&K Components	Switch, Tactile, SPST-NO, 0.05A, 12V, SMD	SPST, 6x3.5mm
T1	1	475uH	760390012	Würth Elektronik	Transformer, 475 uH, SMT	7.14x6.73mm
U1	1		BQ7694003DBTR	Texas Instruments	9 to 15-Series Cell Li-Ion and Li-Phosphate Battery Monitor (bq76940 Family), DBT0044A (TSSOP-44)	DBT0044A
U2, U9	2		TLV70433DBVR	Texas Instruments	Single Output LDO, 150 mA, Fixed 3.3 V Output, 2.5 to 24 V Input, with Ultra-Low IQ, 5-pin SOT-23 (DBV), -40 to 125 degC, Green (RoHS & no Sb/Br)	DBV0005A
U3	1		MSP430FR2155TDBTR	Texas Instruments	24MHz 105C ULP Microcontroller With 32 KB FRAM, 4 KB SRAM, 44 IO, 12-bit ADC, DBT0038A (TSSOP-38)	DBT0038A
U4	1		LM2904B	Texas Instruments	Low Power Dual Operational Amplifier, 8-pin Narrow SOIC	D0008A
U5	1		SN6501DBVR	Texas Instruments	Low-Noise 350 mA, 410 kHz Transformer Driver, DBV0005A (SOT-23-5)	DBV0005A
U7, U8	2		TLP293(GB-TPL,E	Toshiba	Optocoupler, 3.75 kV, 100-600% CTR, SMT	SOP, 4-Leads, Body 2.65x4.60mm, Pitch 1.27mm
U10	1		THVD1500DR	Texas Instruments	250 kbps RS-485 Transceivers With +/-12-kV IEC ESD Protection, D0008A (SOIC-8)	D0008A
U11	1		TLV70450DBVT	Texas Instruments	Single Output LDO, 150 mA, Fixed 5 V Output, 2.5 to 24 V Input, with Ultra-Low IQ, 5-pin SOT-23 (DBV), -40 to 125 degC, Green (RoHS & no Sb/Br)	DBV0005A
U12	1		TPD2E007DCKR	Texas Instruments	ESD Protection Array for AC Signal Data Interface, 2 Channels, -40 to +85 degC, 3-pin SC70 (DCK), Green (RoHS & no Sb/Br)	DCK0003A
U13	1		BQ76200PWR	Texas Instruments	High-Side N-Channel FET Driver, PW0016A (TSSOP-16)	PW0016A
U14	1		LM5164DDAT	Texas Instruments	100-V Low IQ Synchronous Buck Regulator, DDA0008E (SOIC-8)	DDA0008E

## IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale ([www.ti.com/legal/termsofsale.html](http://www.ti.com/legal/termsofsale.html)) or other applicable terms available either on [ti.com](http://ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265  
Copyright © 2019, Texas Instruments Incorporated