

TAPE AND REEL INFORMATION

QUADRANT ASSIGNMENTS FOR PIN 1 ORIENTATION IN TAPE


*All dimensions are nominal

| Device | Package Type | Package Drawing | Pins | SPQ | Reel Diameter (mm) | Reel Width W1 (mm) | A0 (mm) | B0 (mm) | K0 (mm) | P1 (mm) | W (mm) | Pin1 Quadrant |
|---------------|--------------|-----------------|------|------|--------------------|--------------------|---------|---------|---------|---------|--------|---------------|
| CDCLVC1102PWR | TSSOP | PW | 8 | 2000 | 330.0 | 12.4 | 7.0 | 3.6 | 1.6 | 8.0 | 12.0 | Q1 |
| CDCLVC1103PWR | TSSOP | PW | 8 | 2000 | 330.0 | 12.4 | 7.0 | 3.6 | 1.6 | 8.0 | 12.0 | Q1 |
| CDCLVC1104PWR | TSSOP | PW | 8 | 2000 | 330.0 | 12.4 | 7.0 | 3.6 | 1.6 | 8.0 | 12.0 | Q1 |
| CDCLVC1106PWR | TSSOP | PW | 14 | 2000 | 330.0 | 12.4 | 6.9 | 5.6 | 1.6 | 8.0 | 12.0 | Q1 |
| CDCLVC1108PWR | TSSOP | PW | 16 | 2000 | 330.0 | 12.4 | 6.9 | 5.6 | 1.6 | 8.0 | 12.0 | Q1 |
| CDCLVC1110PWR | TSSOP | PW | 20 | 2000 | 330.0 | 16.4 | 6.95 | 7.1 | 1.6 | 8.0 | 16.0 | Q1 |
| CDCLVC1112PWR | TSSOP | PW | 24 | 2000 | 330.0 | 16.4 | 6.95 | 8.3 | 1.6 | 8.0 | 16.0 | Q1 |

TAPE AND REEL BOX DIMENSIONS


*All dimensions are nominal

| Device | Package Type | Package Drawing | Pins | SPQ | Length (mm) | Width (mm) | Height (mm) |
|---------------|--------------|-----------------|------|------|-------------|------------|-------------|
| CDCLVC1102PWR | TSSOP | PW | 8 | 2000 | 356.0 | 356.0 | 35.0 |
| CDCLVC1103PWR | TSSOP | PW | 8 | 2000 | 367.0 | 367.0 | 35.0 |
| CDCLVC1104PWR | TSSOP | PW | 8 | 2000 | 367.0 | 367.0 | 35.0 |
| CDCLVC1106PWR | TSSOP | PW | 14 | 2000 | 367.0 | 367.0 | 35.0 |
| CDCLVC1108PWR | TSSOP | PW | 16 | 2000 | 367.0 | 367.0 | 35.0 |
| CDCLVC1110PWR | TSSOP | PW | 20 | 2000 | 356.0 | 356.0 | 35.0 |
| CDCLVC1112PWR | TSSOP | PW | 24 | 2000 | 356.0 | 356.0 | 35.0 |

TUBE


*All dimensions are nominal

| Device | Package Name | Package Type | Pins | SPQ | L (mm) | W (mm) | T (μm) | B (mm) |
|--------------|--------------|--------------|------|-----|--------|--------|--------|--------|
| CDCLVC1102PW | PW | TSSOP | 8 | 150 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1103PW | PW | TSSOP | 8 | 150 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1104PW | PW | TSSOP | 8 | 150 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1106PW | PW | TSSOP | 14 | 90 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1108PW | PW | TSSOP | 16 | 90 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1110PW | PW | TSSOP | 20 | 70 | 530 | 10.2 | 3600 | 3.5 |
| CDCLVC1112PW | PW | TSSOP | 24 | 60 | 530 | 10.2 | 3600 | 3.5 |